



Date: 21-Feb-20

SDS No.: T21021922A

Safety Data Sheet (SDS)

Creation Date: 2021/02/19

Revision Date: 2021/02/20

Version: 20210220

Prepared according to UN GHS (the 7th revised edition)

Product Name:

Water-based metallic paint underside of one (orange)

Model: XGE-301

Company Name: Anhui SGtech Coating Technology Co., Ltd



Date: 21-Feb-20



1 Identification of the chemical and supplier

1.1 Product identifier

Product Name: Waterborne acrylic anticorrosive finish (Red)

Product Model: XGE-301 **Product Code:** T21021922A

1.2 Recommended Applications

Anti-corrosion decoration for all kinds of steel structures including ship cabins, waterline departments, trains, container trucks, tractors, telecommunication facilities, petrochemical facilities, oilfield equipments, pipelines, oil tanks, offshore port facilities, etc.

1.3 Details of the supplier of the Safety Data Sheet

Name of the company: Anhui SGtech Coating Technology Co., Ltd

Address of the company: Batian Industrial Park, Datong Town, Tianchang, Anhui, China

Telephone number: +86 550-7593788

Fax number: +86 550-7592111

Zip code: 239364

Mail address: tangjiayu@sina.cn

Emergency phone number: +86 550-7593788

2 Hazards identification:

Hazard classification according to GHS: No data available, the product is not dangerous.

Physical and chemical hazards: Non-flammable under normal temperature.

Health hazards: Non-harmful to human body under regular use.

Environment hazards: Non-harmful to environment under regular use.

Other hazards: No data available.

3 Composition/information on ingredients

Substance ☐ Prepation ☑

Composition:

Component	CAS No.	EC No.	Concentration(weight percent, %)	
Waterborne acrylic acid	25767-39-9	201-177-9	55	
Pigment	13463-67-7	236-675-5	25	
Additives and water	7732-18-5	231-791-2	20	



4 First aid measures

4.1 Description of first aid measures

General advice: Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

Skin contact: During production, take off contaminated clothing and shoes immediately. Wash off with plenty of water.

Eye contact: Rinse thoroughly with plenty of water or saline and consult a physician if necessary.

Inhalation: Move to fresh air and keep the airway open.

Intake: Clean up the mouth, induce vomiting, and seek medical attention.

Protecting of first-aiders: Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

4.2 Most important symptoms and effects, both acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

4.3 Indication of any immediate medical attention and special treatment needed

- 1) Treat symptomatically.
- 2) Symptoms may be delayed.

5 Fire protection

Flammability: Non-flammable.

Extinguishing media: Extinguish with media suitable for the surrounding environment.

Fire & explosion hazard: No fire and explosion hazard.

Fire equipment: Wear self-contained positive pressure breathing apparatus and full protective gear in any fire environment.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- 1) Avoid contacting with skins and eyes.
- 2) It is recommended that emergency personnel wear masks, chemical anti-penetration gloves.

6.2 Environmental precautions

- 1) Prevent further leakage or spillage if safe to do so.
- 2) Discharge into the environment must be avoided.
- 3) Ensure that the site is well ventilated, and the spilled materials are collected in the container and placed in appropriate places.

SDS No.: T21021922A

Date: 21-Feb-20



6.3 Methods and materials for containment and cleaning up

- 1) Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2) Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7 Handling and storage

7.1 Precautions for handling:

- 1) Closed operation with suitable ventilation system and equipment.
- 2) Operators must be specially trained to strictly follow the operating procedures.
- 3) Avoid contact with oxidizing agents, reducing agents and halogens.
- 4) Lightly load and unload during handling to prevent damage to packaging and containers.
- 5) Equipped with the corresponding variety and quantity of fire-fighting equipment and leakage emergency treatment equipment.
- 6) Empty containers may contain harmful residues.

7.2 Precautions for storage:

- 1) Store in a cool, ventilated warehouse.
- 2) Keep the container sealed.
- 3) The storage area should be equipped with leakage emergency treatment equipment and suitable containment materials.

8 Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure limit values:

Component	Country/Dogion	Limit value -	Eight hours	Limit value - Short term		
Component	Country/Region	ppm	mg/m ³	ppm	mg/m^3	
All components	USA-OSHA	Unspecified	Unspecified	Unspecified	Unspecified	
	South Korea	Unspecified	Unspecified	Unspecified	Unspecified	
	Ireland	Unspecified	Unspecified	Unspecified	Unspecified	
	Germany (AGS)	Unspecified	Unspecified	Unspecified	Unspecified	
	Denmark	Unspecified	Unspecified	Unspecified	Unspecified	
	Australia	Unspecified	Unspecified	Unspecified	Unspecified	

Biological limit values: No information available.

Monitoring methods:

1) EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Date: 21-Feb-20



2) GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series Standard).

8.2 Engineering controls

- 1) Ensure adequate ventilation, especially in confined areas.
- 2) Ensure that eyewash stations and safety showers are close to the workstation location.
- 3) Use suitable electrical, ventilating and lighting equipment, etc.
- 4) Set up emergency exit and necessary risk-elimination area.

8.3 Personal protection equipment

General requirement:



Eye protection: Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Hand protection: Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.

Respiratory protection: If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full- face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.

Skin and body protection: Wear fire/flame resistant/retardant clothing and antistatic boots. **Other protection:** Smoking, eating and drinking are forbidden on the job site. Maintain good hygiene habits.

9 Physical and chemical properties:

Appearance: orange liquid

Odor: Weak odor

Odor threshold: Not available

PH value: 8-9

Melting point/freezing point (°C): Not available

Initial boiling point and boiling range (°C): Not available

Flash point: No flash is detected below 70 °C in the closed-cup flash point test, which indicates the

product is not classified in Class 3 Flammable Liquids.

Evaporation rate: No data available

Flammability (solid or gas): Non-flammable

Explosion upper/lower limit [%(v/v)]: Non-explosive

Vapor pressure (kPa): No data available Vapor density (air = 1): No data available Relative density (water = 1): No data available

Solubility (mg/L): No data available

Octanol/water partition coefficient: No data available

Auto-ignition temperature (°C): Non-spontaneous combustion

Decomposition temperature (°C): Not available

Viscosity: 80s

10 Stability and Reactivity:

Reactivity: Contact with incompatible materials can cause decomposition or other chemical reactions.

Chemical stability: Stable under the correct conditions of use and storage.

Possibility of hazardous reactions: No data available.

Conditions to avoid: Incompatible materials, static electricity, heat, humidity, etc.

Incompatible materials: Strong oxides, strong acids, strong bases.

Hazardous decomposition products: No data available.

11 Toxicological information:

11.1 Acute toxicity

Component	LD50(oral)	LD50(Transcutaneous)	LC50(inhalation,4h)	
All components	No data available	No data available	No data available	

11.2 Carcinogenicity:

Component	IARC	NTP
All components	Not Listed	Not Listed

11.3 Others

Corrosive skin/irritation: No

Serious eye damage/irritation: No

Skin sensitization: No data available

Respiratory sensitization: No data available

Reproductive toxicity: No data available

Specific target organ toxicity - single exposure: No data available

Specific target organ toxicity - repeated exposure: No data available

Aspiration hazard: No data available

Germ cell mutagenicity: No data available

Reproductive toxicity: No data available

Date: 21-Feb-20



12 Ecological information:

12.1 Acute aquatic toxicity

Component	Fish	Crustaceans	Algae	
All components	No data available	No data available	No data available	

12.2 Chronic aquatic toxicity

212 on one aquasic tomerty						
Component Fish		Crustaceans	Algae			
All components	No data available	No data available	No data available			

12.3 Others

Component	Persistence & degradability	Bioaccumulation	Soil mobility	PBT & vPvB	
All components	No data available	No data available	No data available	No data available	

13 Disposal considerations

Waste chemicals: Recycle as much as possible. Make disposal by incineration if not available. Do not discharge into drains.

Contaminated packaging: Dispose as regular garbage after emptying the package. Residual hazards may still exist after emptied, should be away from heat and fire. Recycle them to the supplier if possible.

Disposal considerations: Refer to national and local regulations before disposal. See Part 8 for safety precautions for disposal personnel.

14 Transportation information:

United Nations Dangerous Goods Number (UN No.): The product is not dangerous.

UN proper shipping name: None **UN Risk Classification:** None

IMO/IMDG Code: The substance is not subject to IMO/IMDG Code.

Packing Category: None Packaging label: None

Marine Pollutants (Yes/No): No

Packing method: Pack according to the manufacturer's recommendations like open drums. Ampoule bottle outside the ordinary wooden box. Threaded glass bottles, iron lids, glass bottles, plastic bottles or metal drums (cans) outside the ordinary wooden boxes.

Transportation Note: Lightly load and unload to prevent damage to packaging and containers. requirements. Check the packaging container for integrity and sealing before shipping. Hazard signs and notices shall be posted on the means of transport in accordance with the relevant transport requirements.

15 Regulatory information:

International chemical inventory

SDS No.: T21021922A

Date: 21-Feb-20

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS
All components	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A

EINECS - European Inventory of Existing Commercial Chemical Substances

TSCA - United States Toxic Substances Control Act Inventory

DSL - Canadian Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

PICCS - Philippines Inventory of Chemicals and Chemical Substances

16 Others

16.1 Reference:

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

16.2 Abbreviations and acronyms

CAS – Chemical Abstracts Service

LC₅₀ – Lethal Concentration 50%

LD₅₀ – Lethal Dose 50%

EC₅₀ – Effective Concentration 50%

PBT - Persistent, Bioaccumulative, Toxic

IARC – International Agency for Research on Cancer

vPvB – very Persistent, very Bioaccumulative

OECD – Organization for Economic Co-operation and Development

IMO - International Maritime Organization

IMDG - International Maritime Dangerous Goods

16.3 Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their



independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

SDS No.: T21021922A

Date: 21-Feb-20



SDS Creation Date: 2021/02/20 (valid for one year)